

FpML 4.3 Working Draft 2007-02-05

Schema changes compared to FpML 4.2 Trial Recommendation 2006-12-15

Information extracted from Subversion.

- All subschema files have been sorted using an xsl script to keep consistency. In addition to this, the following changes have been made:

fpml-allocation-4-3.xsd

Revision [1334](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 13 15:17:27 2007 UTC* (5 hours, 43 minutes ago) by *iyermakova*

File length: 3433 byte(s)

Diff to [previous 1218](#)

Issue 0000303 fix - fpml-allocation's content was sorted

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 19 minutes ago) by *mgratacos*

File length: 3433 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (45 hours, 41 minutes ago) by *BrianLynn*

File length: 3261 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 3167 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-asset-4-3.xsd

Revision [1363](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Feb 21 23:04:10 2007 UTC* (38 hours, 26 minutes ago) by *mgratacos*

File length: 51812 byte(s)

Diff to [previous 1284](#)

The MortgageSector type had a typo in the scheme attribute name:
mortgageSectorScheme has been corrected to mortgageSectorScheme.

Revision [1284](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Mon Feb 5 16:03:48 2007 UTC* (2 weeks, 3 days ago) by *iyermakova*

File length: 51811 byte(s)

Diff to [previous 1272](#)

change insurerName to insurer as "LegalEntity", and
insurerPartyReference to insurerReference as "LegalEntityReference"

```
<xsd:element name="insurer" type="LegalEntity" />
<xsd:element name="insurerReference" type="LegalEntityReference" />
```

Revision [1272](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Feb 1 19:15:57 2007 UTC* (3 weeks ago) by *mgratacos*

File length: 51763 byte(s)

Diff to [previous 1218](#)

Updated scheme URI of Lien type scheme.

Revision [1284](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Mon Feb 5 16:03:48 2007 UTC* (2 hours, 34 minutes ago) by *iyermakova*

File length: 51811 byte(s)

Diff to [previous 1272](#)

Changed insurerName to insurer as "LegalEntity", and
insurerPartyReference to insurerReference as "LegalEntityReference"

```
<xsd:element name="insurer" type="LegalEntity" />
<xsd:element name="insurerReference" type="LegalEntityReference" />
```

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 29 minutes ago) by *mgratacos*

File length: 51748 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (45 hours, 51 minutes ago) by *BrianLynn*

File length: 51576 byte(s)

Diff to [previous 1214](#)

Add xmlns and targetNamespace definitions to the source schema files to
simplify editing, per Marc Gratacos's request.

Revision [1214](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 00:40:55 2007 UTC* (46 hours, 21 minutes ago) by *iyermakova*

File length: 51482 byte(s)

Diff to [previous 1175](#)

Added:

- loan as a new underlying asset, with its related
- Loan complex type that extends the UnderlyingAsset structure.
- FacilityType complex Type that describes loan facility through facility-type-1-0 scheme
- Lien complex type that describes lien facility through lien-1-0 scheme

Revision [1175](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Jan 25 20:59:29 2007 UTC* (6 days, 2 hours ago) by *mgratacos*

File length: 47368 byte(s)

Diff to [previous 1136](#)

- Added mortgage as a new underlying asset, with its related Mortgage type that extends the UnderlyingAsset structure.
- Added MortgageSector as a new type, to support the specification of the mortgageSector element through an appropriate scheme, mortgage-sector-1-0.xml.
- Added AssetPool as a new type to support the mortgage pool definition.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 42713 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 41881 byte(s)

Check in 4-3 version-removal and adding scripts;
check in version-less schema files and remove schema files with version;
update version entities to 4-3;
a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-cashflow-matching-4-3.xsd

Revision [1361](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Feb 21 22:24:28 2007 UTC* (39 hours, 21 minutes ago) by *mgratacos*

File length: 34757 byte(s)

Diff to [previous 1235](#)

Floating comments have been attached to appropriate complex type.

Revision [1235](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 12:37:38 2007 UTC* (10 hours, 28 minutes ago) by *mgratacos*

File length: 34784 byte(s)

Diff to [previous 1218](#)

Added ecore:reference annotation to the following types:
CashflowFixingReference, CashflowObservationReference, StepReference, TradeUnderlyerReference.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 33 minutes ago) by *mgratacos*

File length: 34749 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (45 hours, 54 minutes ago) by *BrianLynn*

File length: 34577 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 34483 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 33884 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-cd-4-3.xsd

Revision [1236](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 12:59:00 2007 UTC* (10 hours, 9 minutes ago) by *mgratacos*

File length: 94526 byte(s)

Diff to [previous 1218](#)

Added ecore:reference annotation to the following types:
ProtectionTermsReference, SettlementTermsReference.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 35 minutes ago) by *mgratacos*

File length: 94504 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (45 hours, 56 minutes ago) by *BrianLynn*

File length: 94332 byte(s)

Diff to [previous 1213](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1213](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 00:32:28 2007 UTC* (46 hours, 35 minutes ago) by *iyermakova*

File length: 94238 byte(s)

Diff to [previous 1183](#)

added:

loan as part of the ReferenceObligation choice.

securedList to the ReferenceInformation complex type.

designatedPriority to the Obligations complex type.

Revision [1183](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Fri Jan 26 12:26:37 2007 UTC* (5 days, 10 hours ago) by *mgratacos*

File length: 93240 byte(s)

Diff to [previous 1174](#)

Added xml:lang attribute to couple of documentation elements.

Revision [1174](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Jan 25 20:54:45 2007 UTC* (6 days, 2 hours ago) by *mgratacos*

File length: 93212 byte(s)

Diff to [previous 1136](#)

- Added mortgage as part of the ReferenceObligation choice.
 - Created the five following additional elements as part of the CreditEvent container: failureToPayInterest, failureToPayPrincipal, distressedRatingsDowngrade, maturityExtension and writedown.
 - Created four additional complex types, along with their related elements: FloatingAmountEvents, AdditionalFixedPayments, FloatingAmountProvision and InterestShortFall.
 - Added referencePolicy to the ReferenceInformation complex type.
-

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 83642 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 82498 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-confirmation-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 35 minutes ago) by *mgratacos*

File length: 13117 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (45 hours, 57 minutes ago) by *BrianLynn*

File length: 12944 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 12850 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-contract-notification-4-3.xsd

Revision [1336](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 13 18:40:33 2007 UTC* (2 hours, 22 minutes ago) by *iyermakova*

File length: 4482 byte(s)

Diff to [previous 1218](#)

Issue 0000303 fix - fpml-contract-notification's content was sorted

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 38 minutes ago) by *mgratacos*

File length: 4482 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (45 hours, 59 minutes ago) by *BrianLynn*

File length: 4310 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 4216 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-credit-event-notification-4-3.xsd

Revision [1333](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 13 15:07:34 2007 UTC* (5 hours, 57 minutes ago) by *iyermakova*

File length: 9635 byte(s)

Diff to [previous 1218](#)

Issue 0000303 fix - fpml-credit-event-notification's content was sorted

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 39 minutes ago) by *mgratacos*

File length: 9632 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours ago) by *BrianLynn*

File length: 9460 byte(s)

Diff to [previous 1180](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1180](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Jan 25 23:17:26 2007 UTC* (5 days, 23 hours ago) by *BrianLynn*

File length: 9366 byte(s)

Diff to [previous 1156](#)

Migrate CEN process-specific types (like Resource) from the posttrade subschema into the credit-event-notification subschema, and slightly reorganize that subschema to group related definitions. This corrects an oversight in the original message refactoring.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 4529 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-doc-4-3.xsd

Revision [1364](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Fri Feb 23 13:49:30 2007 UTC* (6 hours, 29 minutes ago) by *iyermakova*

File length: 71134 byte(s)

Diff to [previous 1362](#)

Updated actualBuild value to 2.

Revision [1362](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Feb 21 22:54:55 2007 UTC* (45 hours, 24 minutes ago) by *mgratacos*

File length: 71134 byte(s)

Diff to [previous 1289](#)

The element contractDate is now an IdentifiedDate.

Revision [1289](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 6 12:12:26 2007 UTC* (4 hours, 53 minutes ago) by *mgratacos*

File length: 70320 byte(s)

Diff to [previous 1260](#)

Removed revisedTrade element in Amendment type.

Revision [1260](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Feb 1 13:52:44 2007 UTC* (5 days, 3 hours ago) by *mgratacos*

File length: 70566 byte(s)

Diff to [previous 1241](#)

Updated actualBuild value to 1.

Revision [1241](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 14:41:02 2007 UTC* (8 hours, 33 minutes ago) by *mgratacos*

File length: 70566 byte(s)

Diff to [previous 1218](#)

AddedAdded ecore:reference annotation to the FirstPeriodStartDate type.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 41 minutes ago) by *mgratacos*

File length: 70542 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 2 minutes ago) by *BrianLynn*

File length: 70370 byte(s)

Diff to [previous 1172](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1172](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Jan 25 20:49:36 2007 UTC* (6 days, 2 hours ago) by *mgratacos*

File length: 70276 byte(s)

Diff to [previous 1136](#)

Moved VersionHistory.model from doc to shared subschema.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 70865 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 69563 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-enum-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 42 minutes ago) by *mgratacos*

File length: 79689 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 3 minutes ago) by *BrianLynn*

File length: 79517 byte(s)

Diff to [previous 1173](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1173](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Jan 25 20:53:15 2007 UTC* (6 days, 2 hours ago) by *mgratacos*

File length: 79423 byte(s)

Diff to [previous 1136](#)

Added InterestShortfallCapEnum.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 79032 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 77576 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-4-3-eq-shared.xsd

Revision [1337](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 13 18:50:04 2007 UTC* (2 hours, 17 minutes ago) by *iyermakova*

File length: 76611 byte(s)

Diff to [previous 1243](#)

Issue 0000303 fix - fpml-eq-shared's content was sorted

Revision [1243](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 15:13:31 2007 UTC* (8 hours, 2 minutes ago) by *mgratacos*

File length: 76611 byte(s)

Diff to [previous 1218](#)

AddedAdded ecore:reference annotation to the following types:

InterestCalculationReference,

InterestLegCalculationPeriodDatesReference.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 42 minutes ago) by *mgratacos*

File length: 76567 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 4 minutes ago) by *BrianLynn*

File length: 76395 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 76301 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 75016 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with
version;
update version entities to 4-3;
a few small changes to the schema to let it work (add 4-3 to acceptable
versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-eqd-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 43 minutes ago) by *mgratacos*

File length: 31019 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 5 minutes ago) by *BrianLynn*

File length: 30847 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to
simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 30753 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 30259 byte(s)

Check in 4-3 version-removal and adding scripts;
check in version-less schema files and remove schema files with
version;
update version entities to 4-3;
a few small changes to the schema to let it work (add 4-3 to acceptable
versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-fx-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 44 minutes ago) by *mgratacos*

File length: 45716 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 5 minutes ago) by *BrianLynn*

File length: 45544 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 45450 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 44677 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-ird-4-3.xsd

Revision [1239](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 14:19:55 2007 UTC* (8 hours, 57 minutes ago) by *mgratacos*

File length: 100272 byte(s)

Diff to [previous 1238](#)

Corrected mistake: ecore:reference should point to PricingStructure, not SimplePricingStructure.

Revision [1238](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 14:11:38 2007 UTC* (9 hours, 6 minutes ago) by *mgratacos*

File length: 100278 byte(s)

Diff to [previous 1219](#)

Removed simple type PricingStructureReference.

Added ecore:reference annotation to the following types:

CalculationPeriodDatesReference, ResetDatesReference.

Revision [1219](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 16:34:19 2007 UTC* (30 hours, 43 minutes ago) by *mgratacos*

File length: 100529 byte(s)

Diff to [previous 1218](#)

Added firstCompoundingPeriodEndDate between the existing elements firstRegularPeriodStartDate and lastRegularPeriodEndDate.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 44 minutes ago) by *mgratacos*

File length: 100014 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 6 minutes ago) by *BrianLynn*

File length: 99842 byte(s)

Diff to [previous 1211](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1211](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Mon Jan 29 21:55:08 2007 UTC* (2 days, 1 hour ago) by *mgratacos*

File length: 99748 byte(s)

Diff to [previous 1136](#)

initialStub and finalStub are now of type StubValue instead of Stub.
This solves issue <http://www.fpml.org/issues/view.php?id=176>

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 99738 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 98198 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-main-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 45 minutes ago) by *mgratacos*

File length: 3090 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 6 minutes ago) by *BrianLynn*

File length: 2918 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 2824 byte(s)

Diff to [previous 1136](#)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 2057 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 2020 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-matching-status-4-3.xsd

Revision [1338](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 13 19:24:22 2007 UTC* (105 minutes, 24 seconds ago) by *iyermakova*

File length: 7801 byte(s)

Diff to [previous 1218](#)

Issue 0000303 fix - fpml-matching-status's content was sorted

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 46 minutes ago) by *mgratacos*

File length: 7798 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 7 minutes ago) by *BrianLynn*

File length: 7626 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 7532 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-mktenv-4-3.xsd

Revision [1240](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 14:33:27 2007 UTC* (8 hours, 46 minutes ago) by *mgratacos*

File length: 37743 byte(s)

Diff to [previous 1218](#)

Added ecore:reference annotation to the following types:
GenericDimension, PricingDataPointCoordinateReference,
PricingStructureReference.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 47 minutes ago) by *mgratacos*

File length: 37685 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 8 minutes ago) by *BrianLynn*

File length: 37513 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to
simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 37419 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 36666 byte(s)

Check in 4-3 version-removal and adding scripts;
check in version-less schema files and remove schema files with
version;
update version entities to 4-3;
a few small changes to the schema to let it work (add 4-3 to acceptable
versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-msg-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 47 minutes ago) by *mgratacos*

File length: 22101 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 9 minutes ago) by *BrianLynn*

File length: 21929 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 21835 byte(s)

Diff to [previous 1136](#)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 18972 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 18589 byte(s)

Check in 4-3 version-removal and adding scripts;
check in version-less schema files and remove schema files with version;
update version entities to 4-3;
a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-posttrade-confirmation-4-3.xsd

Revision [1342](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 13 20:34:19 2007 UTC* (36 minutes, 30 seconds ago) by *iyermakova*

File length: 5944 byte(s)

Diff to [previous 1218](#)

Issue 0000303 fix - fpml-posttrade-confirmation's content was sorted

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 48 minutes ago) by *mgratacos*

File length: 5941 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 10 minutes ago) by *BrianLynn*

File length: 5769 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 5675 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-posttrade-execution-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 49 minutes ago) by *mgratacos*

File length: 1124 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 11 minutes ago) by *BrianLynn*

File length: 952 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 858 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-posttrade-negotiation-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 50 minutes ago) by *mgratacos*

File length: 6833 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 12 minutes ago) by *BrianLynn*

File length: 6661 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 6567 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-posttrade-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 51 minutes ago) by *mgratacos*

File length: 17758 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 12 minutes ago) by *BrianLynn*

File length: 17586 byte(s)

Diff to [previous 1180](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1180](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Jan 25 23:17:26 2007 UTC* (6 days ago) by *BrianLynn*

File length: 17492 byte(s)

Diff to [previous 1156](#)

Migrate CEN process-specific types (like Resource) from the posttrade subschema into the credit-event-notification subschema, and slightly reorganize that subschema to group related definitions. This corrects an oversight in the original message refactoring.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 22224 byte(s)

Diff to [previous 1136](#)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 45647 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 44738 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-pretrade-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 51 minutes ago) by *mgratacos*

File length: 5204 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 13 minutes ago) by *BrianLynn*

File length: 5032 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 4938 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 4825 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-reporting-4-3.xsd

Revision [1343](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 13 20:43:37 2007 UTC* (28 minutes, 11 seconds ago) by *iyermakova*

File length: 7552 byte(s)

Diff to [previous 1218](#)

Issue 0000303 fix - fpml-reporting's content was sorted

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 52 minutes ago) by *mgratacos*

File length: 7552 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 14 minutes ago) by *BrianLynn*

File length: 7380 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 7286 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 7141 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-return-swaps-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 52 minutes ago) by *mgratacos*

File length: 11416 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 14 minutes ago) by *BrianLynn*

File length: 11244 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 11150 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 10984 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-riskdef-4-3.xsd

Revision [1242](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 14:58:21 2007 UTC* (8 hours, 28 minutes ago) by *mgratacos*

File length: 18429 byte(s)

Diff to [previous 1218](#)

AddedAdded ecore:reference annotation to the PricingParameterDerivativeReference type.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 53 minutes ago) by *mgratacos*

File length: 18407 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 15 minutes ago) by *BrianLynn*

File length: 18235 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 18141 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 17807 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-shared-4-3.xsd

Revision [1305](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Feb 8 08:43:21 2007 UTC* (5 days, 12 hours ago) by *mgratacos*

File length: 147393 byte(s)

Diff to [previous 1303](#)

CorrespondentInformation and IntermediaryInformation use
RoutingIdentification.model group instead of being an extension of
Routing solving issue 296 <http://www.fpml.org/issues/view.php?id=296>

Revision [1303](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Feb 7 18:46:45 2007 UTC* (6 days, 2 hours ago) by *mgratacos*

File length: 147539 byte(s)

Diff to [previous 1296](#)

Created new RoutingIdentification.model group. Beneficiary uses this
new group instead of being an extension of Routing solving issue 296
<http://www.fpml.org/issues/view.php?id=296>

Revision [1296](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Feb 6 18:42:34 2007 UTC* (7 days, 2 hours ago) by *mgratacos*

File length: 147547 byte(s)

Diff to [previous 1237](#)

Updated matrix term scheme version uri to 2-2.

Revision [1237](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 13:04:30 2007 UTC* (10 hours, 22 minutes ago) by *mgratacos*

File length: 147547 byte(s)

Diff to [previous 1234](#)

Added ecore:reference annotation to the following types:
LegalEntityReference.

Revision [1234](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 12:32:09 2007 UTC* (10 hours, 54 minutes ago) by *mgratacos*

File length: 147540 byte(s)

Diff to [previous 1233](#)

Added ecore:reference annotation to the following types:
AccountReference, AssetReference, BusinessCentersReference,
BusinessDayAdjustmentsReference, PartyReference, Payment,
RateReference, ScheduleReference, ValuationScenarioReference.

Revision [1233](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 02:12:13 2007 UTC* (21 hours, 14 minutes ago) by *mgratacos*

File length: 147448 byte(s)

Diff to [previous 1218](#)

Added ecore annotations to SpreadScheduleReference and
ProductReference.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 53 minutes ago) by *mgratacos*

File length: 147435 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 15 minutes ago) by *BrianLynn*

File length: 147263 byte(s)

Diff to [previous 1210](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1210](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Mon Jan 29 21:53:48 2007 UTC* (2 days, 1 hour ago) by *mgratacos*

File length: 147169 byte(s)

Diff to [previous 1184](#)

Created a new StubValue type containing the choice between floatingRate, stubRate, and stubAmount that was part of the Stub type. Stub type extends now StubValue by adding the start and end dates.

Revision [1184](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Fri Jan 26 12:39:15 2007 UTC* (5 days, 10 hours ago) by *mgratacos*

File length: 146383 byte(s)

Diff to [previous 1172](#)

- Updated business center scheme version.

Revision [1172](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Thu Jan 25 20:49:36 2007 UTC* (6 days, 2 hours ago) by *mgratacos*

File length: 146383 byte(s)

Diff to [previous 1136](#)

Moved VersionHistory.model from doc to shared subschema.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 145791 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 143326 byte(s)

Check in 4-3 version-removal and adding scripts;
check in version-less schema files and remove schema files with version;
update version entities to 4-3;
a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-trade-notification-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 55 minutes ago) by *mgratacos*

File length: 3010 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 16 minutes ago) by *BrianLynn*

File length: 2838 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 2744 byte(s)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

fpml-tradeexec-4-3.xsd

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 56 minutes ago) by *mgratacos*

File length: 6730 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 17 minutes ago) by *BrianLynn*

File length: 6558 byte(s)

Diff to [previous 1156](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1156](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 16 19:44:28 2007 UTC* (2 weeks, 1 day ago) by *BrianLynn*

File length: 6464 byte(s)

Diff to [previous 1136](#)

Re-organize the message schema files into a larger number of smaller files; each file contains messages for a specific business process area. Specifically, separate out negotiation from execution from notification from confirmation.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 29025 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 28599 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-valuation-4-3.xsd

Revision [1244](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 15:14:51 2007 UTC* (8 hours, 15 minutes ago) by *mgratacos*

File length: 22688 byte(s)

Diff to [previous 1218](#)

AddedAdded ecore:reference annotation to the following types:
MarketReference, SensitivitySetReference.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 57 minutes ago) by *mgratacos*

File length: 22676 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 19 minutes ago) by *BrianLynn*

File length: 22504 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 22410 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 21980 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

fpml-valuation-base-4-3.xsd

Revision [1245](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 31 15:19:26 2007 UTC* (8 hours, 10 minutes ago) by *mgratacos*

File length: 10531 byte(s)

Diff to [previous 1218](#)

AddedAdded ecore:reference annotation to the following types:
Valuation, ValuationReference.

Revision [1218](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 15:33:01 2007 UTC* (31 hours, 56 minutes ago) by *mgratacos*

File length: 10490 byte(s)

Diff to [previous 1216](#)

Added ecore attributes to root element.

Revision [1216](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Tue Jan 30 01:11:26 2007 UTC* (46 hours, 18 minutes ago) by *BrianLynn*

File length: 10318 byte(s)

Diff to [previous 1136](#)

Add xmlns and targetNamespace definitions to the source schema files to simplify editing, per Marc Gratacos's request.

Revision [1136](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Modified *Wed Jan 10 22:47:27 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 10224 byte(s)

Diff to [previous 1135](#)

convert file format back to dos

Revision [1135](#) - ([view](#)) ([download](#)) - ([select for diffs](#))

Added *Wed Jan 10 20:42:47 2007 UTC* (3 weeks ago) by *BrianLynn*

File length: 10019 byte(s)

Check in 4-3 version-removal and adding scripts;

check in version-less schema files and remove schema files with version;

update version entities to 4-3;

a few small changes to the schema to let it work (add 4-3 to acceptable versions, and remove fpml: prefix in fpml-msg.xsd);

xmldsig-core-schema.xsd

None.